

# Material Safety Data Sheet

**Dyno Nobel Inc.**  
2650 Decker Lake Boulevard, Suite 300  
Salt Lake City, Utah 84119  
Phone: 801-364-4800 Fax: 801-321-6703  
E-Mail: [dna.hse@am.dynonobel.com](mailto:dna.hse@am.dynonobel.com)

**FOR 24 HOUR EMERGENCY, CALL** **CHEMTREC (USA) 800-424-9300**  
**CANUTEC (CANADA) 613-996-6666**

**MSDS # 1149**  
**Date 08/13/08**

Replaces#1149 02/02/07

## SECTION I - PRODUCT IDENTIFICATION

**Trade Name(s):** HotShot™  
SmartShot™

**Product Class:** Detonators, Electronic

**Product Appearance & Odor:** A copper cylindrical shell with varying length of attached yellow/red (HotShot) or green (SmartShot) wiring harness fitted with a pair of connectors.

**DOT Hazard Shipping Description:** UN0030 Detonators, electric 1.1B II  
-or- UN0456 Detonators electric, 1.4S II

**NFPA Hazard Classification:** Not Applicable (See Section IV - Special Fire Fighting Procedures)

## SECTION II - HAZARDOUS INGREDIENTS

Ingredients	CAS#	Occupational Exposure Limits	
		OSHA PEL-TWA	ACGIH TLV-TWA
Pentaerythritol Tetranitrate (PETN)	78-11-5	None <sup>1</sup>	None <sup>2</sup>
Lead Azide	13424-46-9	0.05 mg (Pb)/m <sup>3</sup>	0.05 mg (Pb)/m <sup>3</sup>

<sup>1</sup> Use limit for particulates not otherwise regulated (PNOR): Total dust, 15 mg/m<sup>3</sup>; respirable fraction, 5 mg/m<sup>3</sup>.

<sup>2</sup> Use limit for particulates not otherwise classified (PNOC): Inhalable particulate, 10 mg/m<sup>3</sup>; respirable part., 3 mg/m<sup>3</sup>.

Ingredients, other than those mentioned above, as used in this product are not hazardous as defined under current Department of Labor regulations, or are present in de minimus concentrations (less than 0.1% for carcinogens, less than 1.0% for other hazardous materials).

## SECTION III - PHYSICAL DATA

**Boiling Point:** Not Applicable  
**Vapor Density:** Not Applicable  
**Percent Volatile by Volume:** Not Available  
**Evaporation Rate (Butyl Acetate = 1):** Not Applicable  
**Decomposition Point (°C):** 100  
**pH:** Not Applicable  
**Auto-Ignition Temperature (°C):** 100

**Vapor Pressure:** Not Applicable  
**Density:** Not Applicable  
**Solubility in Water:** Not Applicable  
**Melting Point:** Not Applicable  
**Sublimation Point:** Not Applicable  
**Viscosity:** Not Applicable

# Material Safety Data Sheet

## SECTION IV - FIRE AND EXPLOSION HAZARD DATA

**Flash Point:** Not Applicable

**Flammable Limits:** Not Applicable

**Extinguishing Media:** (See Special Fire Fighting Procedures section.)

**Special Fire Fighting Procedures:** Do not attempt to fight fires involving explosive materials. Evacuate all personnel to a predetermined safe, distant location. Allow fire to burn unless it can be fought remotely or with fixed extinguishing systems (sprinklers).

**Unusual Fire and Explosion Hazards:** Can explode or detonate under fire conditions. Burning material may produce toxic vapors, including hydrogen chloride and phosgene from the PVC.

## SECTION V - HEALTH HAZARD DATA

### Effects of Overexposure

This is a packaged product that will not result in exposure to the explosive material under normal conditions of use. Exposure concerns are primarily with post-detonation reaction products.

**Eyes:** No exposure to chemical hazards anticipated with normal handling procedures. Particulates in the eye may cause irritation, redness, swelling, itching, pain and tearing.

**Skin:** No exposure to chemical hazards anticipated with normal handling procedures. Exposure to post-detonation reaction products may cause irritation.

**Ingestion:** No exposure to chemical hazards anticipated with normal handling procedures. Post-detonation reaction product residue is toxic by ingestion. Symptoms may include gastroenteritis with abdominal pain, nausea, vomiting and diarrhea. See systemic effects below.

**Inhalation:** Not a likely route of exposure. See systemic effects below.

**Systemic or Other Effects:** None anticipated with normal handling procedures. Repeated inhalation or ingestion of post-detonation reaction products may lead to cumulative systemic effects such as respiratory tract irritation, ringing of the ears, dizziness, elevated blood pressure, blurred vision and tremors. Heavy metal (lead) poisoning can occur. Exposure to lead and lead compounds may cause harm to the unborn child and may lead to risk of impaired fertility.

**Carcinogenicity:** ACGIH classifies Lead as a "Suspected Human Carcinogen". NTP, OSHA, and IARC consider components contained in this detonator carcinogenic.

### Emergency and First Aid Procedures

**Eyes:** Irrigate with running water for at least fifteen minutes. If irritation persists, seek medical attention.

**Skin:** Wash with soap and water.

**Ingestion:** Seek medical attention.

**Inhalation:** Not applicable.

**Special Considerations:** If exposure or injury occurs as a result of detonation, treat first for high velocity trauma in case of injury and then for potential inhalation of hazardous post-detonation fumes.

## SECTION VI - REACTIVITY DATA

**Stability:** Stable under normal conditions, may explode when subjected to fire, supersonic shock or high-energy projectile impact.

**Conditions to Avoid:** Keep away from heat, flame, ignition sources, impact, friction, electrostatic discharge and strong shock. Do not attempt to disassemble. Do not expose to temperatures higher than 100°C.

**Materials to Avoid (Incompatibility):** Corrosives (acids and bases or alkalis).

**Hazardous Decomposition Products:** Carbon Monoxide (CO), Nitrous Oxides (NO<sub>x</sub>), Lead (Pb) and various oxides and complex oxides of metals.

**Hazardous Polymerization:** Will not occur.

# Material Safety Data Sheet

## SECTION VII - SPILL OR LEAK PROCEDURES

**Steps to be taken in Case Material is Released or Spilled:** Protect from all ignition sources. In case of fire evacuate all personnel to a safe distant area and allow to burn or fight fire remotely. Notify authorities in accordance with emergency response procedures. Only personnel trained in emergency response should respond. If no fire danger is present, and product is undamaged and/or uncontaminated, repackage product in original packaging or other clean DOT approved container. Ensure that a complete account of product has been made and is verified. If loose explosive powder is spilled, such as from a broken detonator, only properly qualified and authorized personnel should be involved with handling and clean-up activities. Spilled explosive powder is extremely sensitive to initiation and may detonate. Follow applicable Federal, State, and local spill reporting requirements.

**Waste Disposal Method:** Disposal must comply with Federal, State and local regulations. If product becomes a waste, it is potentially regulated as a hazardous waste as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR, part 261. Review disposal requirements with a person knowledgeable with applicable environmental law (RCRA) before disposing of any explosive material.

## SECTION VIII - SPECIAL PROTECTION INFORMATION

**Ventilation:** None required for normal handling. Provide enhanced ventilation after use if in underground mines or other enclosed areas.

**Respiratory Protection:** None required for normal handling.

**Protective Clothing:** Cotton gloves are recommended while handling detonators.

**Eye Protection:** Safety glasses are recommended.

**Other Precautions Required:** Keep materials in their original packaging to prevent exposure. Where possible, wear ear protection when firing.

## SECTION IX - SPECIAL PRECAUTIONS

**Precautions to be taken in handling and storage:** Store in cool, dry, well-ventilated location. Store in compliance with Federal, State, and local regulations. Only properly qualified and authorized personnel should handle and use explosives. Keep away from heat, flame, ignition sources, impact, friction, electrostatic discharge and strong shock.

**Precautions to be taken during use:** Use accepted safe industry practices when using explosive materials. Unintended detonation of explosives or explosive devices can cause serious injury or death. Avoid breathing the fumes or gases from detonation of explosives. Detonation in confined or unventilated areas may result in exposure to hazardous fumes or oxygen deficiency.

**Other Precautions:** It is recommended that users of explosive materials be familiar with the Institute of Makers of Explosives Safety Library Publications.

# Material Safety Data Sheet

## SECTION X - SPECIAL INFORMATION

These products contain the following substances that are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

<u>Chemical Name</u>	<u>CAS Number</u> (Use Toxic Chemical Category Code)	<u>Max. lbs/1000 units</u>
Lead Compounds*	N420	0.25

\*The lead compounds contain about 70% lead by weight.

### **Mobility, persistence/degradation, bioaccumulation and ecotoxicity:**

Material as supplied and undamaged, presents no ecological problems provided any wastes are correctly disposed of. Lead compounds are very toxic to aquatic organisms, can accumulate in organisms and may cause long-term adverse effects in the aquatic environment.

### **Disclaimer**

Dyno Nobel Inc. and its subsidiaries disclaim any warranties with respect to this product, the safety or suitability thereof, the information contained herein, or the results to be obtained, whether express or implied, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE AND/OR OTHER WARRANTY. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever from any and all injuries (including death), losses, or damages to persons or property arising from the use of this product or information. Under no circumstances shall either Dyno Nobel Inc. or any of its subsidiaries be liable for special, consequential or incidental damages or for anticipated loss of profits.