

NONEL[®] SUPER[™] MS 1.4B

Technical Information



Application Recommendations (continued)

- **ALWAYS** use the plastic J-hook when using a detonating cord trunkline to initiate a NONEL SUPER MS unit. A minimum 3 g/m (15 gr/ft) detonating cord qualified for surface use is required for use with the J-hook.
- **ALWAYS** ensure the shock tube is connected to the J-hook and leads back to the hole collar at right angles to the detonating cord trunkline.

Transportation, Storage and Handling

- NONEL SUPER MS must be transported, stored, handled and used in conformity with all federal, state, provincial and local laws and regulations.
- For maximum shelf life (3 years), NONEL SUPER MS must be stored in a cool, dry, well ventilated magazine. Explosive inventory should be rotated. Avoid using new materials before the old. For recommended good practices in transporting, storing, handling and using this product, see the booklet "Prevention of Accidents in the Use of Explosive Materials" packed inside each case and the Safety Library Publications of the Institute of Makers of Explosives.

Packaging

Length		Product Code ^a	Case Type	Quantity / Case	
m	ft			case	sub
6	20	SFM14H20	D	90	45
9	30	SFM14H30	D	60	30
12	40	SFM14H40	D	60	30
15	50	SFM14W50	MA	60	--
18	60	SFM14W60	MA	50	--
24	80	SFM14W80	MA	40	--
30	100	SFM14WM0	MA	30	--
37	120	SFM14WM2	MA	30	--

- Length rounded to nearest one-half meter.
- Case weight varies by length & delay; see case label for exact weight.
- ^a All NONEL SUPER manufactured with NONEL Supertube.

Case Dimensions

Mod A (MA)	31 x 63 x 29 cm	12.25 x 24.875 x 11.375 in
Detpak (D)		
subpack	44 x 22 x 25 cm	17.5 x 8.75 x 10 in
strapped case	44 x 45 x 25 cm	17.5 x 17.625 x 10 in

Product Disclaimer Dyno Nobel Inc. and its subsidiaries disclaim any warranties with respect to this product, the safety or suitability thereof, or the results to be obtained, whether express or implied, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE AND/OR OTHER WARRANTY. Buyers and users assume all risk, responsibility and liability whatsoever from any and all injuries (including death), losses, or damages to persons or property arising from the use of this product. Under no circumstances shall Dyno Nobel Inc. or any of its subsidiaries be liable for special, consequential or incidental damages or for anticipated loss of profits.

Dyno Nobel Inc.

2795 East Cottonwood Parkway, Suite 500, Salt Lake City, Utah 84121 USA
Phone 800-732-7534 Fax 801-328-6452 Web www.dynonobel.com

DYNO
Dyno Nobel

Groundbreaking Performance