# SAFETY DATA SHEET



### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

**Product name DYNOSPLIT®** 

DYNO SPLIT PRO RIGHT • DYNOSPLIT PRO • SPLIT PRO RIGHT **Synonyms** 

1.2 Uses and uses advised against

**BLASTING AGENT • EXPLOSIVES** Uses

1.3 Details of the supplier of the product

DYNO NOBEL ASIA PACIFIC LIMITED Supplier name

**Address** 282 Paringa Rd, Gibson Island, Murarrie, QLD, 4172, AUSTRALIA

(07) 3026 3900 Telephone (07) 3026 3999 Fax

http://www.dynonobel.com Website

1.4 Emergency telephone numbers

**Emergency** 1800 098 836

### 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

**Physical Hazards** 

Explosives: Division 1.1

### **Health Hazards**

Serious Eye Damage / Eye Irritation: Category 2A

Specific Target Organ Toxicity (Repeated Exposure): Category 2

## **Environmental Hazards**

Not classified as an Environmental Hazard

### 2.2 GHS Label elements

**DANGER** Signal word

**Pictograms** 







### **Hazard statements**

H201 Explosive; mass explosion hazard. H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

> SDS Date: 16 Nov 2023 Page 1 of 8 Revision No: 2.1

#### PRODUCT NAME DYNOSPLIT®

#### **Prevention statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P230 Keep wetted.

P234 Keep only in original packaging.

P240 Ground and bond container and receiving equipment.
P250 Do not subject to grinding/shock/friction/rough handling.
P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

#### Response statements

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

P314 Get medical advice/attention if you feel unwell.
P337 + P313 If eye irritation persists: Get medical advice/attention.

P370 + P372 + P380 + In case of fire: Explosion risk. Evacuate area. DO NOT fight fire when fire reaches explosives.

P373

### Storage statements

P401 Store in accordance with relevant site and storage provisions.

#### **Disposal statements**

P501 Dispose of contents/container in accordance with relevant regulations.
P503 Refer to manufacturer/supplier for information on disposal/recovery/recycling.

#### 2.3 Other hazards

No information provided.

### 3. COMPOSITION/ INFORMATION ON INGREDIENTS

### 3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
AMMONIUM NITRATE	6484-52-2	229-347-8	>60%
PENTAERYTHRITOL TETRANITRATE (PETN)	78-11-5	201-084-3	<10%
SODIUM PERCHLORATE	7601-89-0	231-511-9	<10%
NON HAZARDOUS INGREDIENTS	Not Available	Not Available	Remainder

### 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

Eye If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to

stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

**Inhalation** If inhaled, remove from contaminated area. To protect rescuer, use an Air-line respirator where an inhalation

risk exists. Apply artificial respiration if not breathing.

**Skin** If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.

Ingestion For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If

swallowed, do not induce vomiting.

**First aid facilities** Eye wash facilities and safety shower should be available.

### 4.2 Most important symptoms and effects, both acute and delayed

Serious damage may result from explosive fragments.

Page 2 of 8 SDS Date: 16 No Revision No: 2.1

SDS Date: 16 Nov 2023

#### PRODUCT NAME DYNOSPLIT®

### 4.3 Immediate medical attention and special treatment needed

Treat symptomatically. Explosive material. Shrapnel from detonation may cause burns, wounds and bruises - treat symptomatically. Treatment for nitrates:

- 1. Give 100% oxvgen.
- 2. In cases of (a) ingestion: use gastric lavage, (b) contamination of skin (unburnt or burnt): continue washing to remove salts.
- 3. Observe blood pressure and treat hypotension if necessary.
- 4. When methaemoglobin concentrations exceed 40% or when symptoms are present, give methylene blue 1 to 2 mg/kg body weight in a 1% solution by slow intravenous injection. If cyanosis has not resolved within one hour a second dose of 2 mg/kg body weight may be given. The total dose should not exceed 7 mg/kg body weight as unwanted effects such as dyspnoea, chest pain, vomiting, diarrhoea, mental confusion and cyanosis may occur. Without treatment methaemoglobin levels of 20-30% revert to normal within 3 days.
- 5. Bed rest is required for methaemoglobin levels in excess of 40%.
- 6. Continue to monitor and give oxygen for at least two hours after treatment with methylene blue.
- 7. Consider transfer to centre where haemoperfusion can be performed to remove the nitrates from the blood if the condition of the patient is unstable.
- 8. Following inhalation of oxides of nitrogen the patient should be observed in hospital for 24 hours for delayed onset of pulmonary oedema.

Further observation for 2-3 weeks may be required to detect the onset of the inflammatory changes of bronchiolitis fibrosa obliterans.

### 5. FIRE FIGHTING MEASURES

### 5.1 Extinguishing media

DO NOT attempt to extinguish burning explosives. Evacuate area immediately. Notify trained emergency response personnel.

### 5.2 Special hazards arising from the substance or mixture

EXPLOSIVE. Will explode under specific conditions. May evolve toxic gases (carbon/ nitrogen oxides, hydrocarbons) when heated to decomposition. Eliminate all ignition sources including cigarettes, open flames, spark producing switches/tools, heaters, naked lights, pilot lights, etc when handling. CAUTION: Will explode if exposed to heat or with heavy impact.

### 5.3 Advice for firefighters

Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Do not attempt to fight fire. Use waterfog to cool intact containers and nearby storage areas. May explode from heat, pressure, friction or shock.

#### 5.4 Hazchem code

E Evacuation of people in and around the immediate vicinity of the incident should be considered.

### 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS. Clear area of all unprotected personnel. CAUTION: Heating, impact or static charge may cause explosion.

### 6.2 Environmental precautions

Prevent product from entering drains and waterways.

#### 6.3 Methods of cleaning up

Explosive Material. Do not clean-up or dispose except under supervision of a specialist. Contain spillage, then cover / absorb spill with NON-combustible absorbent material (vermiculite, sand, or similar), collect and place in suitable containers for disposal in accordance with AS2187.2. Eliminate all sources of ignition.

### 6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

### 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in clean, well ventilated and dry magazine licensed for Class 1 Explosives. Segregate from all incompatible substances and foodstuffs. Ensure magazines are adequately labelled and protected from physical damage/shock or friction.

#### 7.3 Specific end uses

No information provided.

Page 3 of 8 SDS Date: 16 Nov

SDS Date: 16 Nov 2023

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1 Control parameters

### **Exposure standards**

No exposure standards have been entered for this product.

### **Biological limits**

Ingredient	Reference	Determinant	Sampling Time	BEI
AMMONIUM NITRATE	ACGIH BEI	Methemoglobin in blood	During or end of shift	1.5% of hemoglobin
PENTAERYTHRITOL TETRANITRATE (PETN)	ACGIH BEI	Methemoglobin in blood	During or end of shift	1.5% of hemoglobin

#### 8.2 Exposure controls

Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical explosion proof **Engineering controls** 

extraction ventilation is recommended.

PPE

Eye / Face Wear safety glasses.

Hands Wear PVA or neoprene gloves.

**Body** Wear coveralls.

Respiratory Not required under normal conditions of use.







### 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

**Appearance** WHITE GEL Odour SLIGHT ODOUR **Flammability EXPLOSIVE** Flash point **NOT AVAILABLE NOT AVAILABLE Boiling point NOT AVAILABLE Melting point NOT AVAILABLE Evaporation rate** рΗ **NOT AVAILABLE** Vapour density **NOT AVAILABLE NOT AVAILABLE** Relative density Solubility (water) **INSOLUBLE NOT AVAILABLE** Vapour pressure **NOT AVAILABLE** Upper explosion limit Lower explosion limit **NOT AVAILABLE Partition coefficient NOT AVAILABLE NOT AVAILABLE Autoignition temperature NOT AVAILABLE** Decomposition temperature **Viscosity NOT AVAILABLE** 

**Explosive properties** EXPLOSIVE; mass explosion hazard

Oxidising properties **NOT AVAILABLE Odour threshold NOT AVAILABLE** 

> Page 4 of 8 Revision No: 2.1

SDS Date: 16 Nov 2023

### 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

#### 10.2 Chemical stability

Potential for exothermic hazard.

#### 10.3 Possibility of hazardous reactions

Polymerization will not occur.

### 10.4 Conditions to avoid

Avoid shock, friction, heavy impact, heat, sparks, open flames and other ignition sources.

#### 10.5 Incompatible materials

May detonate if heated strongly or exposed to severe shock. Incompatible (explosively) with acids (e.g. nitric acid), metal powders, combustible materials, alkalis (e.g. sodium hydroxide), oxidising agents (e.g. hypochlorites), chloride salts, sulphur, urea, nitrites and reducing agents.

### 10.6 Hazardous decomposition products

May evolve toxic gases (carbon/ nitrogen oxides, hydrocarbons) when heated to decomposition.

### 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

**Acute toxicity** 

Based on available data, the classification criteria are not met. Absorption of ammonium nitrate by inhalation, ingestion or through burnt or broken skin may cause dilation of blood vessels by direct smooth muscle relaxation and may also cause methaemoglobinaemia. Available evidence from animal studies indicate that repeated or prolonged exposure to a component of this material could result in effects on the thyroid.

### Information available for the ingredients:

Ingredient	Oral LD50	Dermal LD50	Inhalation LC50
AMMONIUM NITRATE	2217 mg/kg (rat)	> 5000 mg/kg (rat)	
PENTAERYTHRITOL TETRANITRATE (PETN)	1660 mg/kg (rat)		
SODIUM PERCHLORATE	2100 mg/kg (rat)		

Skin Contact may result in irritation, redness, rash and dermatitis.

Causes serious eye irritation. Contact may result in irritation, lacrimation, pain, blurred vision and redness. Eve

Sensitisation Not classified as causing skin or respiratory sensitisation.

Mutagenicity Not classified as a mutagen. Carcinogenicity Not classified as a carcinogen.

Not classified as a reproductive toxin. Reproductive

Over exposure to mists/vapours may result in irritation of the nose and throat, coughing, nausea and STOT - single

headache. High level exposure may result in drowsiness, breathing difficulties and methaemoglobinemia (blood's oxygen-carrying capacity is reduced). WARNING: May explode with shock, heat, friction or static

charge.

STOT - repeated

exposure

exposure

Causes damage to organs through prolonged or repeated exposure.

Not classified as causing aspiration. **Aspiration** 

### 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

### 12.2 Persistence and degradability

No information provided.

#### 12.3 Bioaccumulative potential

No information provided.

SDS Date: 16 Nov 2023 Page 5 of 8

Revision No: 2.1

#### PRODUCT NAME **DYNOSPLIT®**

#### 12.4 Mobility in soil

No information provided.

### 12.5 Other adverse effects

Ammonium nitrate is a nutrient in water. Spills can cause massive algal blooms in static waters and affect local species population balance in the aquatic environment. If water is used to disperse ammonium nitrate spilled on soil, the solution produced can end up in the groundwater. Ammonium nitrate will be taken up by bacteria. Nitrate is more persistent in water than the ammonium ion.

### 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

Waste must be disposed of in accordance with AS2187.2 as well as state regulatory and environmental Waste disposal

legislation. Small quantities of damaged or deteriorated material may be destroyed by inclusion in a blast hole containing good explosives (by licensed personnel). Detonators should not be inserted into defective

explosives. For large quantities, contact the manufacturer/supplier for additional information.

Dispose of in accordance with relevant local legislation. Legislation

### 14. TRANSPORT INFORMATION

#### CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE



	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	0241	0241	0241
14.2 Proper Shipping Name	EXPLOSIVE, BLASTING, TYPE E	EXPLOSIVE, BLASTING, TYPE E	EXPLOSIVE, BLASTING, TYPE E
14.3 Transport hazard class	1.1D	1.1D	1.1D
14.4 Packing Group	None allocated.	None allocated.	None allocated.

### 14.5 Environmental hazards

No information provided.

### 14.6 Special precautions for user

Hazchem code Ε **GTEPG** EXP1 **EmS** F-B. S-X

Air Transport TRANSPORT PROHIBITED under the International Air Transport Association (IATA) Other information

Dangerous Goods Regulations for transport by air in passenger aircraft and cargo aircraft.

# 15. REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

A poison schedule number has not been allocated to this product using the criteria in the Standard for the Poison schedule

Uniform Scheduling of Medicines and Poisons (SUSMP).

Classifications Safe Work Australia criteria is based on the Globally Harmonised System (GHS) of Classification and

Labelling of Chemicals (GHS Revision 7).

**Inventory listings AUSTRALIA: AIIC (Australian Inventory of Industrial Chemicals)** 

All components are listed on AIIC, or are exempt.

SDS Date: 16 Nov 2023 Page 6 of 8 Revision No: 2.1

### 16. OTHER INFORMATION

#### **Additional information**

DISCLAIMER: The information provided herein concern explosive products which should only be handled by persons having the appropriate technical expertise, training, and licence(s). The result is largely dependent upon the conditions of storage, transportation and use.

Whilst Dyno Nobel Asia Pacific make every effort to ensure the information contained within this SDS is as accurate and up-to-date as possible, the conditions under which its products are used are not within Dyno Nobel Asia Pacific's control. Each user has the responsibility to ensure awareness of the details contained within this SDS, the product applications, and the specific context of the intended usage. Buyers and users assume all risk, responsibility and liability arising from the use of this product and the information within this SDS. Dyno Nobel Asia Pacific is not responsible for damages of any nature resulting from the use of its products or reliance upon the information. Dyno Nobel Asia Pacific makes no express or implied warranties other than those implied mandatory by the Commonwealth, State or Territory Legislation.

® DYNO, DYNOSPLIT, RiGHT are registered trademarks of the Dyno Nobel/Incitec Pivot Group.

EXPLOSIVES & BLASTING AGENTS: Refer to Local State and Federal legislation that specifically relates to the use of Explosives. Users of products described in this ChemAlert Report are advised to ensure familiarity and compliance with the appropriate legal requirements (e.g. Regulations) prior to the use of this product. Where any further information is required, users may contact their local authority in Explosives and Dangerous Goods.

EXPLOSIONS: Fires involving explosives or explosive mixtures may undergo further explosions and rapid propagation. Police and emergency personnel should be notified immediately. Evacuate individuals to a safe sheltered. If possible remove vehicles and further heat and ignition sources from the area. Do not return to areas until at least one hour after fire and explosions have ceased.

EXPLOSIONS: For further information please refer to Australian Standard 1216, for classification of explosives and Local and Federal Explosive and Dangerous Goods legislation (Act and Regulations).

#### PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as form of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

### **HEALTH EFFECTS FROM EXPOSURE:**

It should be noted that the effects from exposure to this product will depend on several factors including: form of product; frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

SDS Date: 16 Nov 2023

Page 7 of 8 SDS Date: 16 Revision No: 2.1

#### PRODUCT NAME **DYNOSPLIT®**

**Abbreviations ACGIH** American Conference of Governmental Industrial Hygienists

> CAS# Chemical Abstract Service number - used to uniquely identify chemical compounds

**CNS** Central Nervous System

EC No. EC No - European Community Number

**EMS** Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous

**GHS** Globally Harmonized System

**GTEPG** Group Text Emergency Procedure Guide **IARC** International Agency for Research on Cancer

LC50 Lethal Concentration, 50% / Median Lethal Concentration

Lethal Dose, 50% / Median Lethal Dose LD50

Milligrams per Cubic Metre ma/m³ OEL Occupational Exposure Limit

relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly Hq

alkaline).

Parts Per Million ppm

**STEL** Short-Term Exposure Limit

STOT-RE Specific target organ toxicity (repeated exposure) STOT-SE Specific target organ toxicity (single exposure)

**SUSMP** Standard for the Uniform Scheduling of Medicines and Poisons

**SWA** Safe Work Australia TLV Threshold Limit Value **TWA** Time Weighted Average

### Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

#### Prepared by

Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794 Email: info@rmt.com.au Web: www.rmtglobal.com

[ End of SDS ]

Page 8 of 8

SDS Date: 16 Nov 2023

Revision No: 2.1