

# Safety Data Sheet

## SECTION 1 – IDENTIFICATION

### Name, Address, and Telephone of the Responsible Party

#### Dyno Nobel LTD

6440 S. Millrock Drive, Suite 150

Salt Lake City, Utah 84121

Phone: 801-364-4800

E-Mail: dna.healthsafety@am.dynonobel.com

www.dynonobel.com

SDS #: 1023

Date: 05/01/2025

Supersedes 07/20/2020

Formatted: Font:

Formatted: Font: (Default) Arial

Formatted: Font: No underline, Font color: Auto

### Product Identifier

Product Form: Mixture

Product Name: Nitric Acid

### Other Means of Identification

#### Synonyms:

53%-68% Nitric Acid

HNO<sub>3</sub>

### Intended Use of the Product

For professional use only.

### Emergency Telephone Number

FOR 24 HOUR **EMERGENCY**, CALL CHEMTREC (USA) 800-424-9300

CANUTEC (CANADA) 613-996-6666

## SECTION 2 – HAZARD(S) IDENTIFICATION

### Classification of the Substance or Mixture

#### Classification (GHS-US)

Ox. Liq. 3 H272

Met. Corr. 1 H290

Skin Corr. 1A H314

Eye Dam. 1 H318

### Label Elements

#### GHS-US Labeling

#### Hazard Pictograms (GHS-US)



#### Signal Word (GHS-US)

: Danger

#### Hazard Statements (GHS-US)

: H272 - May intensify fire; oxidizer.  
H290 - May be corrosive to metals.  
H314 - Causes severe skin burns and eye damage.  
H318 - Causes serious eye damage.

#### Precautionary Statements (GHS-US)

: P210 - Keep away from heat, sparks, open flames, hot surfaces. - No smoking.  
P220 - Keep/Store away from extremely high or low temperatures, ignition sources, combustible materials, incompatible materials.  
P221 - Take any precaution to avoid mixing with incompatible materials,

SDS# 1023 Date: 05/01/2025

Page 1 of 10

**DYNO  
NOBEL**

# Safety Data Sheet

ignition sources, combustible materials.  
P234 - Keep only in original container.  
P260 - Do not breathe vapors, mist, spray.  
P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.  
P280 - Wear protective gloves, protective clothing, eye protection, face protection, respiratory protection.  
P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304+P340 - IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a poison center or doctor.  
P321 - Specific treatment (see section 4 on this SDS).  
P363 - Wash contaminated clothing before reuse.  
P370+P378 - In case of fire: Use appropriate media to extinguish.  
P390 - Absorb spillage to prevent material damage.  
P405 - Store locked up.  
P406 - Store in corrosive resistant container with a resistant inner liner.  
P501 - Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations.

## SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Mixture			
Name	Product identifier	% (w/w)	Ingredient Classification (GHS-US)
Nitric acid	(CAS No) 7697-37-2	53 - 68	Ox. Liq. 3, H272 Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318

Ingredients, other than those mentioned above, as used in this product are not hazardous as defined under current Department of Labor regulations or are present in de minimus concentrations (less than 0.1% for carcinogens, less than 1.0% for other hazardous materials).

Full text of H-phrases: see section 16

## SECTION 4 - FIRST AID MEASURES

### Description of First Aid Measures

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

**Inhalation:** Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician. If exposure to Nitric Acid vapor occurs, medical observation should continue for 24 - 48 hours after exposure. Delayed reactions may cause pulmonary edema.



# Safety Data Sheet

**Skin Contact:** Remove contaminated clothing. Immediately flush skin with plenty of water for at least 60 minutes. Immediately call a POISON CENTER or doctor.

**Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 60 minutes. Immediately call a POISON CENTER or doctor/physician.

**Ingestion:** Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

**Most Important Symptoms and Effects Both Acute and Delayed**

**General:** Causes severe skin burns and eye damage. Effects of exposure (inhalation, ingestion or skin contact) to substance may be delayed.

**Inhalation:** Inhalation may cause immediate severe irritation progressing quickly to chemical burns. May cause pulmonary edema.

**Skin Contact:** Causes severe irritation which will progress to chemical burns. May be absorbed causing redness, pain, yellow staining.

**Eye Contact:** Causes serious eye damage. Causes permanent damage to the cornea, iris, or conjunctiva.

**Ingestion:** Contact may cause immediate severe irritation progressing quickly to chemical burns. Ingestion is likely to be harmful or have adverse effects.

**Chronic Symptoms:** May cause erosion of the teeth, or chronic bronchitis.

**Indication of Any Immediate Medical Attention and Special Treatment Needed**

If exposed or concerned, get medical advice and attention.

## SECTION 5 - FIRE-FIGHTING MEASURES

**Extinguishing Media**

**Suitable Extinguishing Media:** Dry powder, alcohol-resistant foam, water in large amounts, carbon dioxide (CO<sub>2</sub>).

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

**Special Hazards Arising from the Substance or Mixture**

**Fire Hazard:** May intensify fire; oxidizer. Will burn if exposed to heat, and in addition, will accelerate the burning of other combustibles, resulting in more rapid spread of fire.

**Explosion Hazard:** Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

**Reactivity:** Can react explosively with reducing agents, metal powders, hydrogen sulfide, nitrate, and organic materials. Exothermic reaction on contact with water.

**Advice for Firefighters**

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Fight fire remotely due to the risk of explosion. Use water spray or fog for cooling exposed containers. Apply water from as far away as possible and avoid directing water into the acid. Do not allow run-off from firefighting to enter drains or water courses. Do not breathe fumes from fires or vapors from decomposition.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Nitrogen oxides. Acrid vapors.

**Reference to Other Sections:** Refer to section 9 for flammability properties.

## SECTION 6 - ACCIDENTAL RELEASE MEASURES

**Personal Precautions, Protective Equipment and Emergency Procedures**

**General Measures:** DO NOT breathe (vapor, mist, spray, gas). Stay upwind of any liquid or vapors. Avoid all contact with skin, eyes, or clothing. Keep away from heat, sparks, open flames, hot surfaces. No smoking.



# Safety Data Sheet

## For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

## For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Evacuate unnecessary personnel. Eliminate ignition sources. Stop leak if safe to do so. Ventilate area.

## Environmental Precautions

Prevent entry to sewers and public waters.

## Methods and Material for Containment and Cleaning Up

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Cautiously neutralize spilled liquid.

**Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Cautiously neutralize spilled liquid. Use water spray to disperse vapors. Do not spray water into acid. Take up large spills with pump or vacuum. Absorb and/or contain small spills with inert material, then place in suitable container. Do not absorb with combustible material such as saw dust or cellulosic material. Contact competent authorities after a spill.

## Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection

## SECTION 7 - HANDLING AND STORAGE

### Precautions for Safe Handling

**Additional Hazards When Processed:** May be corrosive to metals. When heated to decomposition, emits toxic fumes.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling.

### Conditions for Safe Storage, Including Any Incompatibilities

**Storage Conditions:** Store in a dry, cool and well-ventilated place. Store in original container or corrosive resistant and/or lined container. Keep container closed when not in use. Keep/Store away from extremely high or low temperatures, direct sunlight, heat, ignition sources, combustible materials, incompatible materials. Storage areas should be periodically checked for corrosion and integrity. Avoid exposure to sunlight, which promotes oxide formation.

**Incompatible Materials:** Strong acids. Strong bases. Strong oxidizers. Finely divided metals. Hydrogen sulfide. Reducing agents. Organic chemicals. Sunlight.

**Specific End Use(s)** For professional use only.

## SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), or OSHA (PEL).

Nitric acid (7697-37-2)		
USA ACGIH	ACGIH TWA (ppm)	2 ppm
USA ACGIH	ACGIH STEL (ppm)	4 ppm
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>



# Safety Data Sheet

<b>USA OSHA</b>	OSHA PEL (TWA) (ppm)	2 ppm
<b>USA NIOSH</b>	NIOSH REL (TWA) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
<b>USA NIOSH</b>	NIOSH REL (TWA) (ppm)	2 ppm
<b>USA NIOSH</b>	NIOSH REL (STEL) (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup>
<b>USA NIOSH</b>	NIOSH REL (STEL) (ppm)	4 ppm
<b>USA IDLH</b>	US IDLH (ppm)	25 ppm

## Exposure Controls

**Appropriate Engineering Controls:** Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Gas detectors should be used when toxic gases may be released. Use explosion-proof equipment. Ensure all national/local regulations are observed.

**Personal Protective Equipment:** Gloves. Protective goggles. Protective clothing. Insufficient ventilation: wear respiratory protection.



**Materials for Protective Clothing:** Acid resistant materials and fabrics.

**Hand Protection:** Wear acid resistant protective gloves. Neoprene or PVC gloves are required.

**Eye Protection:** Acid proof goggles and face shield should be required where acid is transferred, sampled, or where persons are otherwise potentially exposed. Eye baths should be provided when direct contact is possible.

**Skin and Body Protection:** Wear suitable protective clothing. Where spill or splash potential exists, rubberized aprons or acid resistant suits are strongly recommended.

**Respiratory Protection:** For concentrations above the exposure limits, use full face supplied air respirator approved by NIOSH for nitric acid or nitrogen oxide gases or mists. **Chemical cartridge or canister respirators are not suitable for nitric acid or nitrogen oxide use.**

**Other Information:** Avoid hydrocarbon lubricants and packing materials. Corrosion-resistant materials, such as stainless steel, must be used.

## SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

### Information on Basic Physical and Chemical Properties

<b>Physical State</b>	: Liquid
<b>Appearance</b>	: Clear to yellowish/brown fuming liquid
<b>Odor</b>	: Pungent, acrid odor
<b>Odor Threshold</b>	: Not available
<b>pH</b>	: <1 (strong acid)
<b>Evaporation Rate</b>	: Not available
<b>Melting Point</b>	: -20 - -40 °C (-4.0 - -40.0 °F)
<b>Freezing Point</b>	: Not available
<b>Boiling Point</b>	: 117 - 121 °C (242.6 - 249.8 °F)
<b>Flash Point</b>	: Not available
<b>Auto-ignition Temperature</b>	: Not available
<b>Decomposition Temperature</b>	: Not available

# Safety Data Sheet

Flammability (solid, gas)	: Not available
Lower Flammable Limit	: Not available
Upper Flammable Limit	: Not available
Vapor Pressure	: 5.6 - 7 mm Hg at 20°C
Relative Vapor Density at 20 °C	: 2.2
Relative Density	: Not available
Specific gravity / density	: 1.33 - 1.41 g/cm <sup>3</sup> (at 20 °C)
Specific Gravity	: Not available
Solubility	: Complete
Partition Coefficient: N-Octanol/Water	: Not available
Viscosity	: Not available
Explosion Data – Sensitivity to Mechanical Impact	: Not expected to present an explosion hazard due to mechanical impact.
Explosion Data – Sensitivity to Static Discharge	: Not expected to present an explosion hazard due to static discharge.

## SECTION 10 - STABILITY AND REACTIVITY

**Reactivity:** Can react explosively with reducing agents, metal powders, hydrogen sulfide, nitrate, and organic materials. Exothermic reaction on contact with water.

**Chemical Stability:** May intensify fire; oxidizer.

**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

**Conditions to Avoid:** Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Overheating. Open flame. Incompatible materials. Adding water to acid should be avoided.

**Incompatible Materials:** Strong acids. Strong bases. Strong oxidizers. Metals. May be corrosive to metals. Reducing agents. Amines. Organic chemicals. Powdered metals.

**Hazardous Decomposition Products:** Thermal decomposition generates : Corrosive vapors. Nitrogen oxides.

## SECTION 11 - TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects - Product

**Acute Toxicity:** Not classified

**LD50 and LC50 Data:** No data available

**Skin Corrosion/Irritation:** Causes severe skin burns and eye damage.

**Serious Eye Damage/Irritation:** Causes serious eye damage.

**Respiratory or Skin Sensitization:** Not classified

**Germ Cell Mutagenicity:** Not classified

**Teratogenicity:** Not classified

**Carcinogenicity:** Not classified

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified

**Reproductive Toxicity:** Not classified

**Specific Target Organ Toxicity (Single Exposure):** Not classified

**Aspiration Hazard:** Not classified

**Symptoms/Injuries After Inhalation:** Inhalation may cause immediate severe irritation progressing quickly to chemical burns. May cause pulmonary edema.



# Safety Data Sheet

**Symptoms/Injuries After Skin Contact:** Causes severe irritation which will progress to chemical burns. May be absorbed causing redness, pain, yellow staining.

**Symptoms/Injuries After Eye Contact:** Causes serious eye damage. Causes permanent damage to the cornea, iris, or conjunctiva.

**Symptoms/Injuries After Ingestion:** Contact may cause immediate severe irritation progressing quickly to chemical burns. Ingestion is likely to be harmful or have adverse effects.

**Chronic Symptoms:** May cause erosion of the teeth, or chronic bronchitis.

**Information on Toxicological Effects - Ingredient(s)**

**LD50 and LC50 Data:**

Nitric acid (7697-37-2)	
LC50 Inhalation Rat	67 ppm/4h
ATE US (dust, mist)	130.00 mg/l/4h

**SECTION 12: ECOLOGICAL INFORMATION**

**Toxicity** Not classified

**Persistence and Degradability**

**Nitric Acid**

**Persistence and Degradability** Not established.

**Bioaccumulative Potential**

**Nitric Acid**

**Bioaccumulative Potential** Not established.

**Nitric acid (7697-37-2)**

**Log Pow** -2.3 (at 25 °C)

**Mobility in Soil** Not available

**Other Adverse Effects**

**Other Information:** Avoid release to the environment.

**SECTION 13 - DISPOSAL CONSIDERATIONS**

**Sewage Disposal Recommendations:** Do not dispose of waste into sewer.

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.

**SECTION 14 - TRANSPORT INFORMATION**

**In Accordance with DOT**

**Proper Shipping Name** : NITRIC ACID other than red fuming, with at least 65 percent, but not more than 70 percent nitric acid

**Hazard Class** : 8

**Identification Number** : UN2031

**Label Codes** : 8,5.1

**Packing Group** : II

**ERG Number** : 157

**In Accordance with IMDG**

**Proper Shipping Name** : NITRIC ACID other than red fuming, with at least 65 percent, but not more than 70 percent nitric acid



# Safety Data Sheet

**Hazard Class** : 8  
**Identification Number** : UN2031  
**Packing Group** : II  
**Label Codes** : 8,5,1  
**EmS-No. (Fire)** : F-A  
**EmS-No. (Spillage)** : S-Q



**In Accordance with IATA**

**Proper Shipping Name** : NITRIC ACID other than red fuming, with at least 65 percent, but not more than 70 percent nitric acid

**Packing Group** : II  
**Identification Number** : UN2031  
**Hazard Class** : 8  
**Label Codes** : 8,5,1  
**ERG Code (IATA)** : 8L



**In Accordance with TDG**

**Proper Shipping Name** : NITRIC ACID other than red fuming, with at least 65 percent, but not more than 70 percent nitric acid

**Packing Group** : II  
**Hazard Class** : 8  
**Identification Number** : UN2031  
**Label Codes** : 8



## SECTION 15 - REGULATORY INFORMATION

### US Federal Regulations

#### Nitric Acid

<b>SARA Section 311/312 Hazard Classes</b>	Immediate (acute) health hazard Reactive hazard
--	--

#### Nitric acid (7697-37-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory  
 Listed on the United States SARA Section 302  
 Listed on United States SARA Section 313

<b>SARA Section 302 Threshold Planning Quantity (TPQ)</b>	1000
---	------

<b>SARA Section 313 - Emission Reporting</b>	1.0 %
--	-------

### US State Regulations

#### Nitric acid (7697-37-2)

U.S. - Massachusetts - Right To Know List  
 U.S. - New Jersey - Right to Know Hazardous Substance List  
 U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List  
 U.S. - Pennsylvania - RTK (Right to Know) List

### Canadian Regulations


<b>WHMIS Classification</b>	Class C - Oxidizing Material Class E - Corrosive Material
-----------------------------	--



# Safety Data Sheet

Class D Division 2 Subdivision B - Toxic material causing other toxic effects	
<b>Nitric acid (7697-37-2)</b>	
Listed on the Canadian DSL (Domestic Substances List)	
Listed on the Canadian IDL (Ingredient Disclosure List)	
IDL Concentration 1 %	
WHMIS Classification	Class C - Oxidizing Material Class E - Corrosive Material Class D Division 2 Subdivision B - Toxic material causing other toxic effects
This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.	

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION	
<b>Revision Date</b>	: 05/01/2025
<b>Other Information</b>	: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.
<b>GHS Full Text Phrases:</b>	
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Met. Corr. 1	Corrosive to metals Category 1
Ox. Liq. 3	Oxidizing liquids Category 3
Skin Corr. 1A	Skin corrosion/irritation Category 1A
H272	May intensify fire; oxidizer
H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
<b>NFPA Health Hazard</b>	: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.
<b>NFPA Fire Hazard</b>	: 0 - Materials that will not burn.
<b>NFPA Reactivity</b>	: 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.
<b>NFPA Specific Hazard</b>	: OX - This denotes an oxidizer, a chemical which can greatly increase the rate of combustion/fire.



# Safety Data Sheet

## Party Responsible for the Preparation of This Document

Dyno Nobel LTD  
6440 S. Millrock Drive, Suite 150  
Salt Lake City, Utah 84121  
Phone: 801-364-4800

## Disclaimer

Dyno Nobel LTD and its subsidiaries disclaim any warranties with respect to this product, the safety or suitability thereof, the information contained herein, or the results to be obtained, whether express or implied, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE AND/OR OTHER WARRANTY. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever from any and all injuries (including death), losses, or damages to persons or property arising from the use of this product or information. Under no circumstances shall either Dyno Nobel Inc. or any of its subsidiaries be liable for special, consequential or incidental damages or for anticipated loss of profits.

Dyno Nobel SDS

