SECTION 1 – IDENTIFICATION

Name, Address, and Telephone of the Responsible Party Dyno Nobel Inc.

6440 S. Millrock Drive, Suite 150 Salt Lake City, Utah 84121 Phone: 801-364-4800 Fax 801-321-6703 E-Mail: <u>dnna.hse@am.dynonobel.com</u>

www.dynonobel.com

Product Identifier Product Form: Liquid Product Name: Urea Solution Other Means of Identification Trade Name(s): Urea Solution, 32.5%, 40% or 50% Synonyms: Urea

46-0-0 DEF (Diesel exhaust fluid)

Product Class: Urea Solutions

Intended Use of the Product Plant and crop fertilizer, DEF (diesel exhaust fluid)

Uses advised against: Not to be used as an ingredient for human food. Not approved for humans.

Emergency Telephone Number FOR 24 HOUR EMERGENCY, CALL CHEMTREC (USA)

CHEMTREC (USA) 800-424-9300 CANUTEC (CANADA) 613-996-6666

SECTION 2 – HAZARD(S) IDENTIFICATION

Classification of the Substance or Mixture

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of the product.

Classification (GHS-US) Not classified Label Elements GHS-US Labeling No labeling applicable

Other Hazards Hazards Not Otherwise Classified (HNOC): None known

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

Mixture			
Name	Product identifier	% (w/w)	Ingredient Classification (GHS-US)
Water	(CAS No) 7732-18-5	50 - 68	Not classified
Urea	(CAS No) 57-13-6	32 - 50	Not classified
Ammonia	(CAS No) 7664-41-7	< 0.3	Flam. Gas 2, H221 Liquefied gas, H280 Acute Tox. 3 (Inhalation:gas), H331 Skin Corr. 1B, H314 Eye Dam. 1, H318

SDS# 1135 Date: 07/20/2020



Page 1 of 7

Groundbreaking Performance[®]

SDS #: 1135 **Date:** 07/20/2020 Supersedes: 04/28/2020

STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

Ingredients, other than those mentioned above, as used in this product are not hazardous as defined under current Department of Labor regulations or are present in deminimus concentrations (less than 0.1% for carcinogens, less than 1.0% for other hazardous materials).

SECTION 4 - FIRST AID MEASURES

Description of First Aid Measures

Eye Contact: Immediately flush with large amounts of water, including under the eyelids. If pain or irritation persists, seek medical attention. Speed and thoroughness in rinsing eyes are important to avoid permanent injury.

Inhalation: Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.

Skin Contact: Remove contaminated clothing. Rinse immediately with plenty of water. Obtain medical attention if irritation develops or persists. Wash contaminated clothing before reuse.

Ingestion: Do not induce vomiting. Get medical attention immediately.

Most Important Symptoms and Effects Both Acute and Delayed

General: May cause skin irritation and eye irritation.

Inhalation: May cause respiratory irritation.

Skin Contact: May cause skin irritation.

Eye Contact: May cause eye irritation.

Ingestion: Do not induce vomiting. Get medical attention immediately.

Chronic Symptoms: None expected under normal conditions of use.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed and feeling unwell, seek medical advice (show the label where possible).

SECTION 5 - FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Special Hazards Arising from the Substance or Mixture

Fire Hazard: Not combustible but may decompose at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire. Under fire conditions, hazardous fumes will be present.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Ammonia. Nitrogen oxides.

Reference to Other Sections: Refer to section 9 for flammability properties.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Use proper hygiene practices and avoid excessive skin contact.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

SDS# 1135 Date: 07/20/2020



Page 2 of 7

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection. **Emergency Procedures:** Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills immediately and dispose of safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities as appropriate after a spill.

Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

SECTION 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Store in compliance with all Federal, State, and local regulations. Store in a well-ventilated area, away from incompatible materials or sources of heat and ignition. Empty containers may contain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind or expose such containers to excessive heat, flames, sparks or other sources of ignition; they may evolve noxious fumes.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Conditions for Safe Storage, Including Any Incompatibilities

Storage Conditions: Store in compliance with all Federal, State, and local regulations.

Incompatible Materials: Nitric Acid, gallium, perchlorate, strong oxidizing agents, caustics and alkalis.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

No Occupational Exposure Limits (OELs) have been established for this product or its chemical components. **Exposure Controls**

Appropriate Engineering Controls: Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available but not required.

Personal Protective Equipment: Safety glasses, gloves and general work clothing are recommended. Where ventilation is insufficient, wear respiratory protection. Wearing of appropriate protective clothing and gloves is suggested if epidermal sensitivity develops.



Materials for Protective Clothing: Not specified

Hand Protection: Wear chemically resistant protective gloves.

Eye Protection: Safety glasses.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: Use a NIOSH-approved respirator or self-contained breathing apparatus whenever exposure may exceed established Occupational Exposure Limits.

Environmental Exposure Controls: Collect spilled material into containers for disposal. Do not flush to surface water. Spilled chemical can be used as fertilizer (46-0-0). Follow applicable Federal, State and local reporting requirements. **Consumer Exposure Controls:** Do not eat, drink or smoke during use

SDS# 1135 Date: 07/20/2020



Page 3 of 7

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES		
Information on Basic Physical and Chemical Properties		
Physical State	:	Liquid
Appearance	:	Colorless
Odor	:	Slight ammonia
Odor Threshold	:	Not available
рН	:	Not available
Evaporation Rate	:	Not available
Melting Point	:	Not available
Freezing Point	:	Not available
Boiling Point	:	Not available
Flash Point	:	Not applicable
Auto-ignition Temperature	:	Not available
Decomposition Temperature	:	135 °C (275 °F) (Urea)
Flammability (solid, gas)	:	Not applicable
Lower Flammable Limit	:	Not applicable
Upper Flammable Limit	:	Not applicable
Vapor Pressure	:	Not available
Relative Vapor Density at 20 °C	:	Not available
Specific Gravity	:	1.09 - 1.14 g/cc (9.1 - 9.5 lb/gal)
Solubility	:	Not available
Partition Coefficient: N-Octanol/Water	:	Not available
Viscosity	:	Not available
Explosion Data – Sensitivity to Mechanical Impact	:	Not expected to present an explosion hazard due to mechanical impact.
Explosion Data – Sensitivity to Static Discharge	:	Not expected to present an explosion hazard due to static discharge.
Crystallization Temperature	:	-11°C (12°F) for 32.5%, 0°C (32°F) for 40% and 18°C (62°F) for 50% solution

SECTION 10 - STABILITY AND REACTIVITY

Reactivity: Hazardous reactions will not occur under normal conditions.

Chemical Stability: Stable under recommended handling and storage conditions (see section 7).

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Avoid exposing containers to excessive heat or flame. Keep separated from incompatible materials.

Incompatible Materials: Nitric acid. Gallium. Perchlorates. Strong oxidizers. Caustic products. Alkalis. **Hazardous Decomposition Products:** Ammonia. Nitrogen oxides.

SECTION 11 - TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product Acute Toxicity: Not classified LD50 and LC50 Data: Not available Skin Corrosion/Irritation: Not classified Serious Eye Damage/Irritation: Not classified Respiratory or Skin Sensitization: Not classified Germ Cell Mutagenicity: Not classified Teratogenicity: Not available Carcinogenicity: Not classified

SDS# 1135 Date: 07/20/2020



Page 4 of 7

Specific Target Organ Toxicity (Repeated Exposure): Not classified Reproductive Toxicity: Not classified Specific Target Organ Toxicity (Single Exposure): Not classified Aspiration Hazard: Not classified Symptoms/Injuries After Inhalation: May cause respiratory irritation. Symptoms/Injuries After Skin Contact: May cause skin irritation. Symptoms/Injuries After Eye Contact: May cause eye irritation. Symptoms/Injuries After Ingestion: Abdominal pain, nausea, vomiting and gastrointestinal irritation may result. (Urea is a protein to ruminants, animals with the enzyme Urease in their digestive systems, but is moderately toxic to humans when ingested).

Chronic Symptoms: None expected under normal conditions of use.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:

Urea (57-13-6)

LD50 Oral Rat 8471 mg/kg		
Ammonia (7664-41-7)		
LC50 Inhalation Rat	5.1 mg/l (Exposure time: 1 h)	
LC50 Inhalation Rat	2000 ppm/4h (Exposure time: 4 h)	

SECTION 12: ECOLOGICAL INFORMATION

Toxicity Not classified		
Urea (57-13-6)		
LC50 Fish 1	16200 - 18300 mg/l (Exposure time: 96 h - Species: Poecilia reticulata)	
EC50 Daphnia 1	3910 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	
Ammonia (7664-41-7)		
LC50 Fish 1	0.44 mg/l (Exposure time: 96 h - Species: Cyprinus carpio)	
EC50 Daphnia 1	25.4 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC 50 Fish 2	0.26 - 4.6 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)	
Persistence and Degradabilit	y Not available	
Bioaccumulative Potential		
Urea (57-13-6)		
BCF fish 1	< 10	
Log Pow	-1.59 (at 25 °C)	
Ammonia (7664-41-7)		
Log Pow	-1.14 (at 25 °C)	
Mobility in Soil Not available	·	
Other Adverse Effects		
Other Information: Avoid release to the environment.		

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, and international regulations.

Additional Information: Spilled chemical can be used as fertilizer.

SECTION 14 - TRANSPORT INFORMATION

In Accordance with DOT In Accordance with IMDG In Accordance with IATA In Accordance with TDG In Accordance with TDG In Accordance with TDG

SDS# 1135 Date: 07/20/2020



Page 5 of 7

SECTION 15 - REGULATORY INFORMATION

US Federal Regulations		
Urea (57-13-6)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Ammonia (7664-41-7)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Listed on the United States SARA Section 302		
Listed on United States SARA Section 313		
SARA Section 302 Threshold Planning Quantity	500	
(TPQ)		
SARA Section 311/312 Hazard Classes	Fire hazard	
	Immediate (acute) health hazard	
	Sudden release of pressure hazard	
SARA Section 313 - Emission Reporting	 1.0 % (includes anhydrous Ammonia and aqueous Ammonia from water dissociable Ammonium salts and other sources, 10% of total aqueous Ammonia is reportable under this listing) 	
Canadian Regulations		
Urea Solution, 32.5%, 40% or 50%		
WHMIS Classification	ting to WHMIS classification criteria	

Urea Solution, 32.5%, 40% or 50%		
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria	
Urea (57-13-6)		
Listed on the Canadian DS	L (Domestic Substances List)	
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria	
Ammonia (7664-41-7)		
Listed on the Canadian DS	L (Domestic Substances List)	
Listed on the Canadian IDL (Ingredient Disclosure List)		
IDL Concentration 1 %		
WHMIS Classification	Class A - Compressed Gas	
	Class B Division 1 - Flammable Gas	
	Class D Division 1 Subdivision A - Very toxic material causing immediate and serious toxic	
	effects	
	Class E - Corrosive Material	
This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and		
the SDS contains all of the	information required by CPR.	

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

 Revision Date
 : 07/20/2020

 Other Information
 : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

 Party Responsible for the Preparation of This Document

 Dyno Nobel Inc.

 6440 S. Millrock Drive, Suite 150

Salt Lake City, Utah 84121 Phone: 801-364-4800

Disclaimer

SDS# 1135 Date: 07/20/2020



Page 6 of 7

Dyno Nobel Inc. and its subsidiaries disclaim any warranties with respect to this product, the safety or suitability thereof, the information contained herein, or the results to be obtained, whether express or implied, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE AND/OR OTHER WARRANTY. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever from any and all injuries (including death), losses, or damages to persons or property arising from the use of this product or information. Under no circumstances shall either Dyno Nobel Inc. or any of its subsidiaries be liable for special, consequential or incidental damages or for anticipated loss of profits.

Dyno Nobel SDS





Page 7 of 7