

# Safety Data Sheet

## SECTION 1 – IDENTIFICATION

### Name, Address, and Telephone of the Responsible Party

**Dyno Nobel Inc.**

2795 East Cottonwood Parkway, Suite 500

Salt Lake City, Utah 84121

Phone: 801-364-4800 Fax 801-321-6703

E-Mail: [dнна.hse@am.dynonobel.com](mailto:dнна.hse@am.dynonobel.com) [www.dynonobel.com](http://www.dynonobel.com)

**SDS #:** 1118

**Date:** 10/12/2018

Supersedes: 05/12/2015

### Product Identifier

**Product Form:** Substance

**Product Name:** Carbon Dioxide, Refrigerated Liquid

### Other Means of Identification

#### Synonyms:

Carbonic Acid

Carbonic Anhydride

CO<sub>2</sub>

Liquefied CO<sub>2</sub>

### Intended Use of the Product

Industrial use.

### Emergency Telephone Number

**FOR 24 HOUR EMERGENCY, CALL CHEMTREC (USA) 800-424-9300**

**CANUTEC (CANADA) 613-996-6666**

## SECTION 2 – HAZARD(S) IDENTIFICATION

### Classification of the Substance or Mixture

#### Classification (GHS-US)

Simple Asphy

H380

Refrigerated liquefied gas

H281

#### Label Elements

#### GHS-US Labeling

#### Hazard Pictograms (GHS-US)



GHS04

#### Signal Word (GHS-US)

: Warning

#### Hazard Statements (GHS-US)

: H281 - Contains refrigerated gas; may cause cryogenic burns or injury.

H380 - May displace oxygen and cause rapid suffocation.

#### Precautionary Statements (GHS-US)

: P282 - Wear cold insulating gloves/face shield/eye protection.

P315 - Get immediate medical advice/attention.

P336 - Thaw frosted parts with lukewarm water. Do not rub affected area.

P403 - Store in a well-ventilated place.

#### Other Hazards

**Hazards Not Otherwise Classified (HNOC):** Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. Asphyxiant gas, can be fatal. This gas is odorless; carbon dioxide has no warning properties. Can result in increased respiration, dizziness, shortness of breath and headache. Exposure to high concentrations for a period of time can result in oxygen deficiency, effects of which may include rapid breathing, diminished mental alertness, impaired muscular coordination, faulty judgment, depression of all sensations, emotional instability, and fatigue. As asphyxiation progresses, nausea, vomiting, prostration, and loss of consciousness may result, eventually leading to convulsions, coma and death. Oxygen deficiency during pregnancy has produced developmental abnormalities in humans and experimental animals.

**Other Hazards:** Not available

# Safety Data Sheet

## SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

### Substances

Name	Product Identifier	% (w/w)	Ingredient Classification (GHS-US)
Carbon dioxide	(CAS No) 124-38-9	99.9	Simple Asphy, H380 Refrigerated liquefied gas, H281

Full text of H-phrases: see section 16

## SECTION 4 - FIRST AID MEASURES

### Description of First Aid Measures

**General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). If frostbite or freezing occurs, immediately flush with plenty of lukewarm water to GENTLY warm the affected area. Do not use hot water. Do not rub affected area. Get immediate medical attention.

**Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unwell.

**Skin Contact:** Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation persists. Thaw frosted parts with lukewarm water. Do not rub affected area.

**Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention immediately.

**Ingestion:** Rinse mouth. Do NOT induce vomiting. Get immediate medical attention.

### Most Important Symptoms and Effects Both Acute and Delayed

**General:** May cause frostbite on contact with the liquid. Carbon dioxide is an asphyxiant. Lack of oxygen can be fatal.

**Inhalation:** Gas can be toxic as a simple asphyxiant by displacing oxygen from the air. Asphyxia by lack of oxygen: risk of death. May cause drowsiness or dizziness.

**Skin Contact:** Contact with the liquid may cause cold burns/frostbite.

**Eye Contact:** This gas is non-irritating; but direct contact with liquefied/pressurized gas or frost particles may produce severe and possibly permanent eye damage from freeze burns.

**Ingestion:** Ingestion is not considered a potential route of exposure. Non-irritating, but solid and liquid forms of this material and pressurized gas may cause freeze burns.

**Chronic Symptoms:** None known.

### Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention.

## SECTION 5 - FIRE-FIGHTING MEASURES

### Extinguishing Media

**Suitable Extinguishing Media:** Use extinguishing media appropriate for surrounding fire.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Not flammable.

**Explosion Hazard:** Product is not explosive. Containers may rupture and rocket when exposed to excessive heat.

**Reactivity:** Hazardous reactions will not occur under normal conditions.

### Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

**Hazardous Combustion Products:** Carbon oxides (CO, CO<sub>2</sub>).

**Reference to Other Sections:** Refer to section 9 for flammability properties.

# Safety Data Sheet

## SECTION 6 - ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Avoid breathing gas. Use only outdoors or in a well-ventilated area. Ruptured cylinders may rocket. Do not allow product to spread into the environment.

#### For Non-Emergency Personnel

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Ventilate area. Evacuate unnecessary personnel. Stop leak if safe to do so.

#### Environmental Precautions

Avoid release to the environment.

#### Methods and Material for Containment and Cleaning Up

**For Containment:** Notify authorities if refrigerated liquid enters sewers or public waters.

**Methods for Cleaning Up:** Clear up spills immediately and dispose of waste safely. Isolate area until gas has dispersed. Use water spray to disperse vapors. For water based spills contact appropriate authorities and abide by local regulations for spills into waterways. Contact competent authorities after a spill.

#### Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection

## SECTION 7 - HANDLING AND STORAGE

### Precautions for Safe Handling

**Additional Hazards When Processed:** Do not pressurize, cut, or weld containers. Do not puncture or incinerate container. Liquid gas can cause frost-type burns.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product.

#### Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Store in a dry, cool and well-ventilated place. Keep container tightly closed. Keep/Store away from extremely high or low temperatures, incompatible materials. Store in original container.

**Incompatible Materials:** Strong oxidizers. Reactive metals such as potassium, sodium, magnesium. Peroxides.

#### Specific End Use(s)

Industrial use.

## SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), or OSHA (PEL).

#### **Carbon dioxide (124-38-9)**

<b>USA ACGIH</b>	ACGIH TWA (ppm)	5000 ppm
<b>USA ACGIH</b>	ACGIH STEL (ppm)	30000 ppm
<b>USA OSHA</b>	OSHA PEL (TWA) (mg/m <sup>3</sup> )	9000 mg/m <sup>3</sup>
<b>USA OSHA</b>	OSHA PEL (TWA) (ppm)	5000 ppm
<b>USA NIOSH</b>	NIOSH REL (TWA) (mg/m <sup>3</sup> )	9000 mg/m <sup>3</sup>
<b>USA NIOSH</b>	NIOSH REL (TWA) (ppm)	5000 ppm
<b>USA NIOSH</b>	NIOSH REL (STEL) (mg/m <sup>3</sup> )	54000 mg/m <sup>3</sup>
<b>USA NIOSH</b>	NIOSH REL (STEL) (ppm)	30000 ppm
<b>USA IDLH</b>	US IDLH (ppm)	40000 ppm

# Safety Data Sheet

## Exposure Controls

**Appropriate Engineering Controls:** Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.

**Personal Protective Equipment:** Protective goggles. Protective clothing. Respiratory protection of the dependent type. Insulated gloves.



**Materials for Protective Clothing:** Chemically resistant materials and fabrics.

**Hand Protection:** Wear chemically resistant protective gloves. Insulated gloves.

**Eye Protection:** Chemical goggles and face shield.

**Skin and Body Protection:** Wear suitable protective clothing

**Respiratory Protection:** In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear a self-contained breathing apparatus (SCBA).

**Thermal Hazard Protection:** Wear suitable protective clothing.

## SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

### Information on Basic Physical and Chemical Properties

Physical State	: Gas
Appearance	: Colorless gas.
Odor	: No odor.
Odor Threshold	: Not available
pH	: Not available
Evaporation Rate	: Not available
Melting Point	: Not available
Freezing Point	: Not available
Boiling Point	: Not available
Flash Point	: Not available
Auto-ignition Temperature	: Not available
Decomposition Temperature	: Not available
Sublimation Point	: -78°C (-109°F) @ 1 atm
Flammability (solid, gas)	: Not available
Lower Flammable Limit	: Not available
Upper Flammable Limit	: Not available
Vapor Pressure	: 60 atm (881.4 psia) @ 22.4°C (72.3°F)
Relative Vapor Density at 20 °C	: 1.522 (air=1)
Relative Density	: Not available
Specific Gravity	: 1.02 g/cm <sup>3</sup> (8.5 lb/gal)
Solubility	: Water: 0.14 g/100ml @ 0°C (32°F)
Partition Coefficient: N-Octanol/Water	: Not available
Viscosity	: Not available
Explosion Data – Sensitivity to Mechanical Impact	: Not expected to present an explosion hazard due to mechanical impact.
Explosion Data – Sensitivity to Static Discharge	: Not expected to present an explosion hazard due to static discharge.

## SECTION 10 - STABILITY AND REACTIVITY

# Safety Data Sheet

**Reactivity:** Hazardous reactions will not occur under normal conditions.  
**Chemical Stability:** Stable at standard temperature and pressure.  
**Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.  
**Conditions to Avoid:** Extremely high or low temperatures. Incompatible materials.  
**Incompatible Materials:** Strong oxidizers. Reactive metals such as potassium, sodium, magnesium. Peroxides.  
**Hazardous Decomposition Products:** Carbon oxides (CO, CO<sub>2</sub>).

## SECTION 11 - TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects - Product

**Acute Toxicity:** Not classified

**LD50 and LC50 Data:** Not available

**Skin Corrosion/Irritation:** Not classified

**Serious Eye Damage/Irritation:** Not classified

**Respiratory or Skin Sensitization:** Not classified

**Germ Cell Mutagenicity:** Not classified

**Teratogenicity:** Not classified

**Carcinogenicity:** Not classified

**Specific Target Organ Toxicity (Repeated Exposure):** Not classified

**Reproductive Toxicity:** Not classified

**Specific Target Organ Toxicity (Single Exposure):** Not classified

**Aspiration Hazard:** Not classified

**Symptoms/Injuries After Inhalation:** Gas can be toxic as a simple asphyxiant by displacing oxygen from the air. Asphyxia by lack of oxygen: risk of death. May cause drowsiness or dizziness.

**Symptoms/Injuries After Skin Contact:** Contact with the liquid may cause cold burns/frostbite.

**Symptoms/Injuries After Eye Contact:** This gas is non-irritating; but direct contact with liquefied/pressurized gas or frost particles may produce severe and possibly permanent eye damage from freeze burns.

**Symptoms/Injuries After Ingestion:** Ingestion is not considered a potential route of exposure. Non-irritating, but solid and liquid forms of this material and pressurized gas may cause freeze burns.

**Chronic Symptoms:** None known.

### Information on Toxicological Effects - Ingredient(s)

**LD50 and LC50 Data:** Not available

## SECTION 12: ECOLOGICAL INFORMATION

**Toxicity** Not classified

### Persistence and Degradability

#### Carbon Dioxide, Refrigerated Liquid

**Persistence and Degradability** Product is biodegradable.

### Bioaccumulative Potential

#### Carbon Dioxide, Refrigerated Liquid

**Bioaccumulative Potential** Not expected to bioaccumulate.

#### Carbon dioxide (124-38-9)

**BCF fish 1** (no bioaccumulation)

**Log Pow** 0.83

**Mobility in Soil** Not available

### Other Adverse Effects

**Other Adverse Effects:** Can cause frost damage to vegetation, aquatic animals, aquatic life.

**Other Information:** Avoid release to the environment.

## SECTION 13 - DISPOSAL CONSIDERATIONS

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national,

# Safety Data Sheet

provincial, territorial and international regulations.

**Additional Information:** Empty gas cylinders should be returned to the vendor for recycling or refilling.

## SECTION 14 - TRANSPORT INFORMATION

### In Accordance with DOT

Proper Shipping Name : CARBON DIOXIDE, REFRIGERATED LIQUID  
 Hazard Class : 2.2  
 Identification Number : UN2187  
 Label Codes : 2.2



ERG Number : 120

### In Accordance with IMDG

Proper Shipping Name : CARBON DIOXIDE, REFRIGERATED LIQUID  
 Hazard Class : 2.2  
 Identification Number : UN2187  
 Label Codes : 2.2  
 EmS-No. (Fire) : F-C  
 EmS-No. (Spillage) : S-V



### In Accordance with IATA

Proper Shipping Name : CARBON DIOXIDE, REFRIGERATED LIQUID  
 Identification Number : UN2187  
 Hazard Class : 2  
 Label Codes : 2.2



ERG Code (IATA) : 2L

### In Accordance with TDG

Proper Shipping Name : CARBON DIOXIDE, REFRIGERATED LIQUID  
 Hazard Class : 2.2  
 Identification Number : UN2187  
 Label Codes : 2.2



## SECTION 15 - REGULATORY INFORMATION

### US Federal Regulations

#### Carbon Dioxide, Refrigerated Liquid

#### SARA Section 311/312 Hazard Classes

Immediate (acute) health hazard  
 Sudden release of pressure hazard

#### Carbon dioxide (124-38-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### US State Regulations


#### Carbon dioxide (124-38-9)

U.S. - Massachusetts - Right To Know List  
 U.S. - New Jersey - Right to Know Hazardous Substance List  
 U.S. - Pennsylvania - RTK (Right to Know) List

### Canadian Regulations

#### Carbon dioxide (124-38-9)

Listed on the Canadian DSL (Domestic Substances List)  
 Listed on the Canadian IDL (Ingredient Disclosure List)





# Safety Data Sheet

IDL Concentration 1 %	
WHMIS Classification	Class A - Compressed Gas
This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.	


## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Revision Date** : 10/12/2018  
**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

### GHS Full Text Phrases:

Compressed gas	Gases under pressure Compressed gas
Refrigerated liquefied gas	Gases under pressure Refrigerated liquefied gas
Simple Asphy	Simple Asphyxiant
H280	Contains gas under pressure; may explode if heated
H281	Contains refrigerated gas; may cause cryogenic burns or injury

**NFPA Health Hazard** : 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.  
**NFPA Fire Hazard** : 0 - Materials that will not burn.  
**NFPA Reactivity** : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



### Party Responsible for the Preparation of This Document

Dyno Nobel Inc.  
 2795 East Cottonwood Parkway, Suite 500  
 Salt Lake City, Utah 84121  
 Phone: 801-364-4800

### Disclaimer

Dyno Nobel Inc. and its subsidiaries disclaim any warranties with respect to this product, the safety or suitability thereof, the information contained herein, or the results to be obtained, whether express or implied, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE AND/OR OTHER WARRANTY. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever from any and all injuries (including death), losses, or damages to persons or property arising from the use of this product or information. Under no circumstances shall either Dyno Nobel Inc. or any of its subsidiaries be liable for special, consequential or incidental damages or for anticipated loss of profits.

Dyno Nobel SDS