SECTION 1 – IDENTIFICATION	
Name, Address, and Telephone of the	Responsible Party
Dyno Nobel Inc.	SDS #: 1130
6440 S. Millrock Drive, Suite 150	
Salt Lake City, Utah 84121	Date: 07/20/2020
Phone: 801-364-4800 Fax 801-321-670	Supersedes: 10/12/2018
E-Mail: dnna.hse@am.dynonobel.com	www.dynonobel.com
Product Identifier	
Product Form: Mixture	
Product Name: Aqua Ammonia	
Other Means of Identification	
Synonyms:	
Ammonia Solutions	
Ammonium Hydroxide	
High Strength Aqua Amn	
Regular Strength Aqua A	mmonia (19% NH ₃)
Intended Use of the Product	
Professional industrial applications.	
Emergency Telephone Number	
FOR 24 HOUR EMERGENCY, CALL C	HEMTREC (USA) 800-424-9300
	ANUTEC (CANADA) 613-996-6666
SECTION 2 – HAZARD(S) IDENTIFI	CATION
Classification of the Substance or Mix	ture
Classification (GHS-US)	
Acute Tox. 4 (Oral)	H302
Skin Corr. 1B	H314
Eye Dam. 1	H318
Aquatic Acute 1	H400
Label Elements	11400
GHS-US Labeling	
Hazard Pictograms (GHS-US)	
	GHS05 GHS07 GHS09
Signal Word (GHS-US)	: Danger
Signal Word (GHS-US) Hazard Statements (GHS-US)	: H302 - Harmful if swallowed.
	: H302 - Harmful if swallowed. H314 - Causes severe skin burns and eye damage.
	 H302 - Harmful if swallowed. H314 - Causes severe skin burns and eye damage. H318 - Causes serious eye damage.
	: H302 - Harmful if swallowed. H314 - Causes severe skin burns and eye damage.
Hazard Statements (GHS-US)	 H302 - Harmful if swallowed. H314 - Causes severe skin burns and eye damage. H318 - Causes serious eye damage. H400 - Very toxic to aquatic life.
	 H302 - Harmful if swallowed. H314 - Causes severe skin burns and eye damage. H318 - Causes serious eye damage. H400 - Very toxic to aquatic life. P260 - Do not breathe vapors, mist, or spray.
Hazard Statements (GHS-US)	 H302 - Harmful if swallowed. H314 - Causes severe skin burns and eye damage. H318 - Causes serious eye damage. H400 - Very toxic to aquatic life. P260 - Do not breathe vapors, mist, or spray. P264 - Wash hands, forearms, and other exposed areas thoroughly after
Hazard Statements (GHS-US)	 H302 - Harmful if swallowed. H314 - Causes severe skin burns and eye damage. H318 - Causes serious eye damage. H400 - Very toxic to aquatic life. P260 - Do not breathe vapors, mist, or spray. P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.
Hazard Statements (GHS-US)	 H302 - Harmful if swallowed. H314 - Causes severe skin burns and eye damage. H318 - Causes serious eye damage. H400 - Very toxic to aquatic life. P260 - Do not breathe vapors, mist, or spray. P264 - Wash hands, forearms, and other exposed areas thoroughly after
Hazard Statements (GHS-US)	 H302 - Harmful if swallowed. H314 - Causes severe skin burns and eye damage. H318 - Causes serious eye damage. H400 - Very toxic to aquatic life. P260 - Do not breathe vapors, mist, or spray. P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.
Hazard Statements (GHS-US)	 H302 - Harmful if swallowed. H314 - Causes severe skin burns and eye damage. H318 - Causes serious eye damage. H400 - Very toxic to aquatic life. P260 - Do not breathe vapors, mist, or spray. P264 - Wash hands, forearms, and other exposed areas thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P273 - Avoid release to the environment.
Hazard Statements (GHS-US)	 H302 - Harmful if swallowed. H314 - Causes severe skin burns and eye damage. H318 - Causes serious eye damage. H400 - Very toxic to aquatic life. P260 - Do not breathe vapors, mist, or spray. P264 - Wash hands, forearms, and other exposed areas thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P273 - Avoid release to the environment. P280 - Wear protective gloves, protective clothing, and eye protection.
Hazard Statements (GHS-US)	 H302 - Harmful if swallowed. H314 - Causes severe skin burns and eye damage. H318 - Causes serious eye damage. H400 - Very toxic to aquatic life. P260 - Do not breathe vapors, mist, or spray. P264 - Wash hands, forearms, and other exposed areas thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P273 - Avoid release to the environment. P280 - Wear protective gloves, protective clothing, and eye protection. P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting.
Hazard Statements (GHS-US)	 H302 - Harmful if swallowed. H314 - Causes severe skin burns and eye damage. H318 - Causes serious eye damage. H400 - Very toxic to aquatic life. P260 - Do not breathe vapors, mist, or spray. P264 - Wash hands, forearms, and other exposed areas thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P273 - Avoid release to the environment. P280 - Wear protective gloves, protective clothing, and eye protection.
Hazard Statements (GHS-US) Precautionary Statements (GHS-US)	 H302 - Harmful if swallowed. H314 - Causes severe skin burns and eye damage. H318 - Causes serious eye damage. H400 - Very toxic to aquatic life. P260 - Do not breathe vapors, mist, or spray. P264 - Wash hands, forearms, and other exposed areas thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P273 - Avoid release to the environment. P280 - Wear protective gloves, protective clothing, and eye protection. P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting. P303+P361+P353 - If on skin (or hair): Take off immediately all contaminat
Hazard Statements (GHS-US)	 H302 - Harmful if swallowed. H314 - Causes severe skin burns and eye damage. H318 - Causes serious eye damage. H400 - Very toxic to aquatic life. P260 - Do not breathe vapors, mist, or spray. P264 - Wash hands, forearms, and other exposed areas thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P273 - Avoid release to the environment. P280 - Wear protective gloves, protective clothing, and eye protection. P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting.

Groundbreaking Performance[®]

Dyno Nobel

clothing. Rinse skin with water/shower.

P304+P340 - IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 - Specific treatment (see section 4 on this SDS).

P363 - Wash contaminated clothing before reuse.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

Other Hazards

Hazards Not Otherwise Classified (HNOC): Not available

Other Hazards: Exposure may aggravate individuals with pre-existing skin, kidney, liver, and pulmonary disorders. Flammable vapors can accumulate in head space of closed systems.

SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

wixture			
Name	Product identifier	% (w/w)	Ingredient Classification (GHS-US)
Water	(CAS No) 7732-18-5	65 - 90	Not classified
Ammonium hydroxide	(CAS No) 1336-21-6	10 - 35	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400

Ingredients, other than those mentioned above, as used in this product are not hazardous as defined under current Department of Labor regulations or are present in deminimus concentrations (less than 0.1% for carcinogens, less than 1.0% for other hazardous materials).

Full text of H-phrases: see section 16

SECTION 4 - FIRST AID MEASURES

Description of First Aid Measures

General: Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention.

Inhalation: When symptoms occur: go into open air and ventilate suspected area. If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor.

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 60 minutes. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or doctor.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 60 minutes. Immediately call a POISON CENTER or doctor.

Ingestion: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor.

General: Corrosive to eyes, respiratory system and skin. Harmful if swallowed.

Inhalation: Corrosive to mucus membranes. The gas is extremely irritating to mucous membranes and lung tissue. Coughing, chest pain, and difficulty in breathing may result. Prolonged exposure may result in bronchitis, pulmonary

edema, and chemical pneumonitis. Breathing high concentrations may result in death.

Skin Contact: Repeated exposure to this material can result in absorption through skin causing significant health hazard. Causes severe skin burns.

Eye Contact: Causes serious eye damage.

Ingestion: Harmful if swallowed. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

Indication of Any Immediate Medical Attention and Special Treatment Needed If exposed or concerned, get medical advice and attention.

SDS# Date: 07/20/2020



Page 2 of 8

SECTION 5 - FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Water spray, fog, alcohol-resistant foam.

Unsuitable Extinguishing Media: Do not use a heavy water stream. A heavy water stream may spread burning liquid. Do not use carbon dioxide, ammonia will react with carbon dioxide to form a dense white cloud.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: If exposed to elevated temperatures, Aqua Ammonia will release Ammonia gas. Although classified nonflammable, Ammonia does have an explosive range. Ammonia can be a dangerous fire and explosion hazard when mixed with air.

Reactivity: Hazardous reactions will not occur under normal conditions.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Ammonia and oxides of Nitrogen (Nitrogen Dioxide, Nitric Oxide).

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

Reference to Other Sections: Refer to section 9 for flammability properties.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid all eyes and skin contact and do not breathe vapor and mist.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.

Environmental Precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. **Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Spills should be contained with mechanical barriers. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

Reference to Other Sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep/Store away from extremely high or low temperatures, ignition sources, direct sunlight, and incompatible materials. Store in a well-ventilated place. Keep container tightly closed.

Incompatible Materials: Strong acids. Strong bases. Strong oxidizers. Chlorine, bromine, pentafluoride, nitrogen trifluoride, mercury, silver oxide, calcium, and chlorides of iron. Do not use copper, brass, bronze, or galvanized steel in Aqua Ammonia service.

SDS# Date: 07/20/2020



Page 3 of 8

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), or OSHA (PEL).

Exposure Controls

Appropriate Engineering Controls: Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.

Personal Protective Equipment: Avoid all unnecessary exposure. Protective goggles. Corrosionproof clothing. Gloves. Face shield.



Materials for Protective Clothing: Chemically resistant materials and fabrics. Corrosionproof clothing.

Hand Protection: Wear protective gloves. Wear chemically resistant protective gloves.

Eye Protection: Chemical safety goggles and face shield.

Skin and Body Protection: Corrosionproof clothing.

Respiratory Protection: in case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Environmental Exposure Controls: Do not allow the product to be released into the environment.

Consumer Exposure Controls: Do not eat, drink or smoke during use

SECTION 9 - PHYSICAL AND CHEMICA		ROPERTIES
Information on Basic Physical and Chemica	al Pr	operties
Physical State	:	Liquid
Appearance	:	Colorless liquid
Odor	:	Pungent and extremely irritating odor
Odor Threshold	:	Not available
рН	:	Not available
Evaporation Rate	:	Not available
Melting Point	:	Not available
Freezing Point	:	Not available
Boiling Point	:	27 - 49 °C (80.6 - 120 °F)
Flash Point	:	Not available
Auto-ignition Temperature	:	Not available
Decomposition Temperature	:	Not available
Flammability (solid, gas)	:	Not available
Lower Flammable Limit	:	16 %
Upper Flammable Limit	:	25 %
Vapor Pressure	:	4.5 - 11.0 psia @ 20°C (68°F)
Relative Vapor Density at 20 °C	:	0.6 (air = 1) for gaseous ammonia
Relative Density	:	Not available
Specific Gravity	-	0.89 - 0.93 g/cc (7.45 - 7.75 lb/gal)
Solubility		Water: infinitely soluble
Partition Coefficient: N-Octanol/Water	:	Not available
Viscosity	:	Not available

SDS# Date: 07/20/2020



Page 4 of 8

Explosion Data – Sensitivity to Mechanical	: Not expected to present an explosion hazard due to mechanical
Impact	impact.
Explosion Data – Sensitivity to Static Discharge	: Not expected to present an explosion hazard due to static discharge.
SECTION 10 - STABILITY AND REACTIV	
Reactivity: Hazardous reactions will not occ	
	nded handling and storage conditions (see section 7).
•	ardous polymerization will not occur.
0	nely high or low temperatures, heat, hot surfaces, sparks, open flames,
incompatible materials, and other ignition source	
	ng bases. Strong oxidizers. Chlorine, bromine, pentafluoride, nitrogen
	hlorides of iron. Do not use copper, brass, bronze, or galvanized steel in
Aqua Ammonia service.	and avides of Nitra and (Nitra and Disside, Nitris Oxide)
Hazardous Decomposition Products: Amin	nonia and oxides of Nitrogen (Nitrogen Dioxide, Nitric Oxide).
SECTION 11 - TOXICOLOGICAL INFOR	MATION
Information on Toxicological Effects - Produ	JCt
Acute Toxicity: Oral: Harmful if swallowed.	
LD50 and LC50 Data:	
1130 Aqua Ammonia	
ATE US (oral)	1,000.00 mg/kg body weight
Respiratory or Skin Sensitization: Not classif Germ Cell Mutagenicity: Not classified Teratogenicity: Not available	hed
Carcinogenicity: Not classified	
Specific Target Organ Toxicity (Repeated Ex	(posure): Not classified
Reproductive Toxicity: Not classified	
Specific Target Organ Toxicity (Single Expo	sure): Not classified
Aspiration Hazard: Not classified	
and lung tissue. Coughing, chest pain, and diffi	nucus membranes. The gas is extremely irritating to mucous membranes culty in breathing may result. Prolonged exposure may result in bronchitis, Breathing high concentrations may result in death.
Symptoms/Injuries Skin Contact: Repeated e significant health hazard. Causes severe skin b	exposure to this material can result in absorption through skin causing burns.
Symptoms/Injuries Eye Contact: Causes ser	ious eye damage.
Symptoms/Injuries Ingestion: Harmful if swal gastrointestinal tract.	llowed. May cause burns or irritation of the linings of the mouth, throat, and
Information on Toxicological Effects - Ingre	dient(s)
LD50 and LC50 Data:	
Ammonium hydroxide (1336-21-6)	
LD50 Oral Rat	350 mg/kg
SECTION 12: ECOLOGICAL INFORMATI	ION
Toxicity Not classified	

SDS# Date: 07/20/2020



Page 5 of 8

Ammonium hydroxide (1336-21-6)			
LC50 Fish 1	8.2 mg/l (Exposure time: 96 h - Species: Pimephales promelas)		
EC50 Daphnia 1	0.66 mg/l (Exposure time: 48 h - Species: water flea)		
EC50 Daphnia 2	0.66 mg/l (Exposure time: 48 h - Species: Daphnia pulex)		
Persistence and Degradability			
1130 Aqua Ammonia			
Persistence and Degradability	Not established.		
Bioaccumulative Potential			
1130 Aqua Ammonia			
Bioaccumulative Potential	Not established.		
Mobility in Soil Not available			
Other Adverse Effects			
Other Information: Avoid release to	the environment.		

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, provincial, territorial and international regulations.

Additional Information: Aqua Ammonia is an immediate poison to marine life. Vegetation, insects, reptiles, fish and small mammals contacted by Aqua Ammonia (or a large gaseous Ammonia vapor clouds released by heat) will likely die. Post spill conservation measures may be required. Minimize runoff to watersheds by diking, containment or absorption. Contaminated dirt may be spread as a fertilizer.

SECTION 14 - TRANSPORT INFORMATION

"RQ" required only if container (drum, rail tank car, etc.) has 100 pounds or more of Aqua Ammonia at >20% strength or 1,000 pounds or more at <20% strength.

In Accordance with DOT Proper Shipping Name Hazard Class Identification Number	 AMMONIA SOLUTION (relative density between 0.880 and 0.957 at 15 degrees C in water, with more than 10 percent but not more than 35 percent ammonia) 8 UN2672
Label Codes	
Packing Group ERG Number In Accordance with IMDG	: 154
Proper Shipping Name Hazard Class Identification Number Packing Group Label Codes EmS-No. (Fire)	: AMMONIA SOLUTION : 8 : UN2672 : III : 8 : F-A
EmS-No. (Spillage) In Accordance with IATA Proper Shipping Name Packing Group Identification Number Hazard Class Label Codes	: S-B : AMMONIA SOLUTION : III : UN2672 : 8 : 8
ERG Code (IATA) In Accordance with TDG	: 8L

SDS# Date: 07/20/2020



Page 6 of 8

Proper Shipping Name	: AMMONIA SOLUTION
Packing Group	: 111
Hazard Class	: 8
Identification Number	: UN2672
Label Codes	: 8



		<u>N</u>
SECTION 15 - REGULA		
US Federal Regulations		
Aqua Ammonia		
SARA Section 311/312 H	azard Classes	Immediate (acute) health hazard
Ammonium hydr	oxide (1336-21-6)	
	s TSCA (Toxic Substances	s Control Act) inventory
SARA Section 311/312 H		Immediate (acute) health hazard
Water (7732-18-5		
	s TSCA (Toxic Substances	s Control Act) inventory
US State Regulations	\	
Water (7732-18-5)		
Ammonium hydroxide (13		
U.S Delaware - Pollutant		
U.S Louisiana - Reportab		
		- Groundwater Reportable Concentration - Reporting Category 1
		- Groundwater Reportable Concentration - Reporting Category 2
U.S Massachusetts - Oil		
		- Soil Reportable Concentration - Reporting Category 1
		 Soil Reportable Concentration - Reporting Category 2
RTK - U.S Massachusett	0	
U.S Massachusetts - Tox		
U.S Michigan - Polluting		
U.S New Jersey - Discha		
RTK - U.S New Jersey -		
U.S New Jersey - Specia		
U.S New Jersey - TCPA		
		st of Hazardous Substances
RTK - U.S Pennsylvania	- RTK (Right to Know) - En	vironmental Hazard List
RTK - U.S Pennsylvania	- RTK (Right to Know) List	
U.S Texas - Effects Scree		
U.S Texas - Effects Scree	ening Levels - Short Term	
Ammonium hydro		
U.S Massachusetts - Rig		
U.S New Jersey - Right to		
U.S Pennsylvania - RTK	(Right to Know) - Environm	nental Hazard List
U.S Pennsylvania - RTK	(Right to Know) List	
Canadian Regulations		
Aqua Ammonia		
WHMIS Classification	Class E - Corrosive Mate	
	Class D Division 1 Subdiv	vision B - Toxic material causing immediate and serious toxic effects

SDS# Date: 07/20/2020



Page 7 of 8





Ammonium hydroxide (1336-21-6)		
Listed on the Canadian DSL	. (Domestic Substances List)	
Listed on the Canadian IDL	(Ingredient Disclosure List)	
IDL Concentration 1 %		
WHMIS Classification	Class D Division 1 Subdivision B - Toxic material causing immediate and serious toxic effects	
	Class E - Corrosive Material	
Class D Division 2 Subdivision B - Toxic material causing other toxic effects		
Water (7732-18-5)		
Listed on the Canadian DSL	. (Domestic Substances List)	
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria	
This product has been class	ified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and	

the SDS contains all of the information required by CPR.

Revision Date Other Information	 07/20/2020 This document has been prepared in accordance with the SDS requirements of th OSHA Hazard Communication Standard 29 CFR 1910.1200. 	
HS Full Text Phrases:		
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1	
Eye Dam. 1	Serious eye damage/eye irritation Category 1	
Skin Corr. 1B	Skin corrosion/irritation Category 1B	
STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
H302	Harmful if swallowed	
H314	Causes severe skin burns and eye damage	
H318	Causes serious eye damage	
H335	May cause respiratory irritation	
H400	Very toxic to aquatic life	

6440 S. Millrock Drive, Suite 150 Salt Lake City, Utah 84121 Phone: 801-364-4800

Disclaimer

Dyno Nobel Inc. and its subsidiaries disclaim any warranties with respect to this product, the safety or suitability thereof, the information contained herein, or the results to be obtained, whether express or implied, INCLUDING WITHOUT LIMITATION, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE AND/OR OTHER WARRANTY. The information contained herein is provided for reference purposes only and is intended only for persons having relevant technical skills. Because conditions and manner of use are outside of our control, the user is responsible for determining the conditions of safe use of the product. Buyers and users assume all risk, responsibility and liability whatsoever from any and all injuries (including death), losses, or damages to persons or property arising from the use of this product or information. Under no circumstances shall either Dyno Nobel Inc. or any of its subsidiaries be liable for special, consequential or incidental damages or for anticipated loss of profits.

Dyno Nobel SDS

SDS# Date: 07/20/2020



Page 8 of 8